

Anexo 3.




Figure 2A. Palpebral Fissure Length (PFL). Distance from endocanthion to exocanthion.




Figure 2B. PFL measured with a small ruler while patient looks up to fully expose exocanthion.

Lip-Philtrum Guide 1: Caucasian			ABC Scores		Lip-Philtrum Guide 2: African American		
Rank	Upper Lip Circularity		Philtrum Smoothness	Upper Lip Thickness	Upper Lip Circularity		Rank
	Range	Lip Pictured			Lip Pictured	Range	
5	≥ 131.5	178	C	C	80	≥ 62.1	5
4	131.4 to 75.5	85	C	C	57	to 52.1	4
3	75.4 to 57.5	65	B	B	39	to 30.1	3
2	57.4 to 42.5	50	A	A	29	to 27.5	2
1	≤ 42.4	35	A	A	25	≤ 27.4	1
Lip-Philtrum Guide 1				Lip-Philtrum Guide 2			

Figure 3. Lip-Philtrum Guides 1 and 2. Pictorial examples of the 5-point Likert scales and the ABC-Scale used to rank upper lip thinness and philtrum smoothness in Caucasians and African Americans. Circularity is $\text{perimeter}^2/\text{area}$ and is measured using the FAS Facial Photographic Analysis software. Laminated Lip-Philtrum Guides with the Growth and Face Tables printed on the backside are available at <http://depts.washington.edu/fasdpn>.